



VASARI
LIME PLASTER & PAINT

CONTENTS

INTRODUCTION
PG 03 - PG 06

VENEZIANO
PG 07 - PG 10

AMANO
PG 11 - PG 14

MARMORINO
PG 15 - PG 18

CARRERA
PG 19 - PG 22

CORSO
PG 23 - PG 26

LIME PAINT
PG 27 - PG 30

COLOR CHART
PG 31 - PG 32

APPLICATION
PG 33 - PG 36





THE
FINEST WALL
FINISHES
ON EARTH.





ABOUT VASARI

Vasari brings you the most beautiful wall finishes—crafted from nature, designed for healthy living.

Our Venetian Plaster and Lime Paint are crafted from finely crushed marble, premium lime, and natural pigments—bringing you finishes as close to nature as possible.

Designed for both interiors and semi-exterior, Vasari offers unmatched beauty, versatility, and ease of use. Available in a wide range of textures, sheens, and colors, our finishes evoke the elegance of polished marble, the softness of satin, or the timeless charm of rustic stucco.


Naturally eco-friendly, durable, and breathable, Vasari wall finishes combine luxury with practicality—perfect for those who value beauty and sustainability.

STORY OF VASARI

Founded in 2003 out of a passion for art, architecture, history, design, and good living, Vasari has become a name synonymous with timeless beauty and natural wall finishes.

Headquartered in California, USA, Vasari's finishes have graced the walls of homes, mansions, hotels, restaurants, boutiques, and even hospitals around the world.

Our collection offers a wide variety of materials to suit every style and space, including Veneziano, Amano, Marmorino, Carrera, Corso, and Lime Paint.





VENEZIANO

Veneziano is a versatile plaster used on interiors. It is applied in thin layers and is able to achieve medium to high-polished surfaces. Unlike the soft subtlety of Amano, Veneziano creates richer and more expressive tones, delivering a statement finish while maintaining a smooth, luxurious touch.

Veneziano ialah plaster serbaguna untuk kegunaan dalaman. Ia disapu dalam lapisan nipis dan mampu menghasilkan kemasan berkilat sederhana hingga tinggi. Berbeza dengan kemasan matte Amano, Veneziano menampilkan tona yang lebih kaya dan ekspresif, memberikan sentuhan kemasan yang menonjol sambil mengekalkan rasa licin dan mewah.

Veneziano 是一种多功能的室内石灰涂料，可通过薄层涂抹实现中度至高度的抛光效果。Veneziano 与 Amano 的柔和哑光效果不同。Veneziano 能够呈现出更丰富、更具表现力的色调，在保持光滑奢华质感的同时，营造出极具个性的装饰效果。

Product Features:



Glossy Effect
Kesan Kilat
光泽效果



Smooth Texture
Tekstur Lembut
光滑纹理



Dramatic Color Variation
Variasi Warna Yang Dramatik
丰富鲜明的色彩变化



Indoor
Kegunaan Dalaman
室内



***Coverage**

5 Gallon - 320sqft for 2 layers

2.5 Gallon - 160sqft for 2 layers

V05 Jasmine





**Colors in the pictures are just an average representation and may vary from the actual tinted materials.*



AMANO

Amano is a matte-finish plaster designed for interior applications. It is applied in thin layers, allowing the surface to develop soft, subtle tonal variations. Compared to Veneziano, Amano has a distinctly matte appearance with only a low sheen even when burnished, giving it a more understated and natural look.

Amano ialah plaster berkemasan matte yang direka untuk aplikasi dalaman. Ia disapu dalam lapisan nipis, membolehkan permukaan menghasilkan variasi tona yang lembut dan halus. Berbanding dengan Veneziano, Amano mempunyai penampilan matte yang jelas dengan hanya sedikit kilauan walaupun digilap, memberikan rupa yang lebih ringkas serta semula jadi.

Amano 是一种哑光饰面的石灰涂料，专为室内应用而设计。它以薄层方式施工，使表面呈现柔和而细腻的色调变化。与 Veneziano 相比，Amano 具有明显的哑光外观，即使经过抛光也仅有微弱的光泽，带来更低调而自然的效果。

Product Features:



Matte Effect
Kesan “Matte”
哑光效果



Smooth To Medium Texture
Tekstur Licin Hingga Sederhana
光滑至中等质感



Soft Color Variation
Variasi Warna Lembut
柔和的色彩变化



Indoor
Kegunaan Dalaman
室内



*Coverage

- 5 Gallon - 360sqft for 2 layers
- 2.5 Gallon - 180sqft for 2 layers

A36 Flamingo






**Colors in the pictures are just an average representation and may vary from the actual tinted materials.*



A82 Seaweed Green



A24 Golden Beige

MARMORINO

Marmorino is made with fine sand, giving walls natural texture and depth. It can achieve a smooth matte effect or a more mottled, textured finish with a subtle polish if desired. With endless possibilities through combinations of colors, waxes, and application techniques, Marmorino offers unmatched versatility—perfect for creating unique, timeless, and sophisticated finishes.

Marmorino diperbuat dengan pasir halus, memberikan dinding tekstur dan kedalaman semula jadi. Ia boleh menghasilkan kesan matte yang licin atau kemas lebih bercorak serta bertekstur dengan sedikit kilauan jika diingini. Dengan pelbagai kemungkinan melalui gabungan warna, lilin, dan teknik aplikasi, Marmorino menawarkan kepelbagaian yang tiada tandingan—sempurna untuk mencipta kemas yang unik, abadi, dan sofistikated.

Marmorino 石灰涂料采用细砂制成，为墙面带来自然的质感与层次。它既可以呈现光滑的哑光效果，也可以根据需要，通过轻微的抛光实现更具斑驳感和质感的饰面。通过色彩、蜡料及施工工艺的无限组合，Marmorino 展现出无与伦比的多样性——是打造独特、永恒且高雅饰面的理想选择。

Product Features:



Matte Effect
Kesan “Matte”
哑光效果



Medium Texture
Tekstur Sederhana
中等质感



Soft Color Variation
Variasi Warna Lembut
柔和的色彩变化



Indoor / Semi-Outdoor
Kegunaan Dalaman / Separa Luaran
室内 / 半户外使用



*Coverage


5 Gallon - 170sqft for 2 layers

2.5 Gallon - 85sqft for 2 layers







**Colors in the pictures are just an average representation and may vary from the actual tinted materials.*



M06 Eggshell



M31 Fossil Grey



M35 Apricot

CARRERA

Carrera is made with coarser sand, creating pronounced texture and depth. Originally formulated for semi-outdoor applications, it is equally well-suited for interiors. Carrera can achieve a distinctive sandy effect or a more mottled, textured finish, depending on the desired look. With its durability and versatility, it brings character and dimension to any surface.

Carrera Plaster diperbuat dengan pasir yang lebih kasar, menghasilkan tekstur dan kedalaman yang ketara. Pada asalnya diformulasikan untuk kegunaan separa luaran, ia juga sangat sesuai untuk bahagian dalaman. Carrera boleh memberikan kesan berpasir yang tersendiri atau kemas bertekstur dengan corak yang lebih semarak, bergantung kepada rupa yang diinginkan. Dengan ketahanan dan serbagunanya, ia menambahkan karakter dan dimensi pada setiap permukaan.

Carrera 石灰涂料采用较粗的砂粒制成，营造出鲜明的质感与层次。它最初专为半户外使用而研发，同时也非常适合室内空间。Carrera 可以呈现独特的沙质效果，或展现更具层次感和纹理感的饰面，取决于所需的风格。凭借其耐用性和多样性，它为任何表面增添独特的个性与立体感。

Product Features:



Sandy Effect
Kesan Berpasir
沙石效果



Rough Texture
Tekstur Kasar
粗糙纹理



Soft Color Variation
Variasi Warna Lembut
柔和的色彩变化



Indoor / Semi-Outdoor
Kegunaan Dalaman / Separa Luaran
室内 / 半户外使用



*Coverage

5 Gallon - 110sqft for 2 layers

2.5 Gallon - 55sqft for 2 layers

CA13 Light Gold






*Colors in the pictures are just an average representation and may vary from the actual tinted materials.



CA05 Jasmine



CA45 Aqua

CORSO

Corso is the roughest finish in the Vasari series. Made with coarse aggregates, it offers maximum texture, thickness, and depth. Suitable for both interior and semi-exterior applications, Corso creates bold, natural surfaces with character. It can be applied flat with a naturally pitted effect, or built up for a more mottled, heavily textured finish—making it the perfect choice for achieving a raw, rustic, and highly tactile aesthetic.

Corso ialah kemasan yang paling kasar dalam siri Vasari. Dihasilkan dengan agregat kasar, ia memberikan tekstur, ketebalan, dan kedalaman maksimum. Sesuai untuk kegunaan dalaman dan separa luaran, Corso mencipta permukaan semula jadi yang berani serta penuh karakter. Ia boleh diaplikasikan rata dengan kesan berlubang semula jadi, atau dibina berlapis untuk menghasilkan kemasan yang lebih bercorak, tebal, dan bertekstur—menjadikannya pilihan ideal bagi mencapai estetika mentah, rustik, dan sangat taktil.

Corso 石灰涂料是 Vasari 系列中最粗犷的饰面。由粗颗粒材料制成，它提供了最强烈的质感、厚度与层次。无论是室内还是半户外空间，Corso 都能打造出大胆、自然且富有个性的表面。它可以平涂呈现自然的坑洼效果，也可以多层堆叠，形成更斑驳、厚重的质感饰面——是营造原始、质朴、极具触感美学的理想之选。

Product Features:



Grainy Effect
Kesan Berpasir Kasar
粒状效果



Coarse Texture
Tekstur Kasar
粗糙纹理



Soft color variation
Variasi warna lembut
柔和的色彩变化



Indoor / Semi-outdoor
Kegunaan dalaman / separa luaran
室内 / 半户外使用



*Coverage

5 Gallon - 80sqft for 2 layers

2.5 Gallon - 40sqft for 2 layers



Custom Color



*Colors in the pictures are just an average representation and may vary from the actual tinted materials.



LIME PAINT

Vasari Lime Paint complements both traditional and modern settings with its timeless beauty. Applied with a brush, it creates soft, subtle movements, while a sponge technique produces more vivid variations. Unlike regular paints, lime paint lends depth and luminosity to flat walls, revealing delicate nuances, textures, and natural movement that bring surfaces to life.

Cat Kapur Vasari melengkapi suasana tradisional mahupun moden dengan keindahan yang abadi. Apabila disapu menggunakan berus, ia menghasilkan pergerakan lembut dan halus, manakala teknik span memberikan variasi yang lebih menonjol. Tidak seperti cat biasa, cat kapur memberikan kedalaman dan kecerahan pada dinding rata, menampilkan nuansa halus, tekstur, serta pergerakan semula jadi yang menghidupkan permukaan.

Vasari 石灰漆以其永恒的美感，既能衬托传统空间，也能提升现代环境。用刷子涂抹时，可营造柔和细腻的流动感；若采用海绵技法，则能展现更为鲜明的变化。与普通油漆不同，石灰漆能为平整的墙面注入层次与光泽，展现细腻的色彩过渡、质感与自然的律动，使表面焕发生机。

Product Features:



Matte Effect
Kesan “Matte”
哑光效果



Light Texture
Tekstur Ringan
轻度纹理



Soft color variation
Variasi warna lembut
柔和的色彩变化



Indoor
Kegunaan Dalaman
室内



*Coverage

- 5 Gallon - 700sqft for 2 layers
- 2.5 Gallon - 350sqft for 2 layers

LP20 Linen White





**Colors in the pictures are just an average representation and may vary from the actual tinted materials.*





COLOR CHART



The below digital color swatches are an average representation of the actual tinted materials. As all materials are made from natural minerals, actual tinted materials can vary up to 10%, depending on the type of material, how the material is applied and the lighting of the surrounding. It's best to view the actual sample board before deciding on a colour.

- * - Premium Color
- ^ - Waxing Required

GREY COLOR SERIES

 Splashed White 01	 Off-White Grey 17	 Limestone 48	 Cloud Grey 27	 Brume Quarter 61	 Fossil Grey 31	 Mouse Gray 64 *	 Cement 49
 Stone 65	 Charcoal 47	 Pewter 63 *	 Dark Charcoal 52	 Midnight 70 **	 Harbor Grey 71	 Pozzolana 74	


BROWN COLOR SERIES

 Linen White 20	 Blond 08	 Eggshell 06	 Ivory 02	 Cream 03	 Tan 32	 Champagne 19	 Pink Champagne 22
 Beige 04	 Golden Beige 24	 Dessert Glow 10	 Caramel 26	 Peach 33	 Bronze 56 *	 Almond 25	 Coffee 46 *
 Jasmine 05	 Light Gold 13	 Rustic Gold 15	 Classic Gold 16	 Tangerine 59 *			

BLUE COLOR SERIES

							
Tiffany Blue 44	Aqua 45	Baby Blue 42	Sky Blue 41	Royal Blue 51 *	Navy Blue 67 **	Teal 55 **	Grey Blue 66 *
							
Midnight Blue 73 **	Lavender 96						

GREEN COLOR SERIES

							
Olive 18	Mint 50	Lime 62 *	Matcha 12	Avocado 43	Laurel Green 29	Teal Green 60 *	Pine Green 81 *
							
Seaweed Green 82 *	Sage 100	Sea Green 93 *					

RED COLOR SERIES

							
Pink 54	Apricot 35	Flamingo 36	Pink Orange 37	Brown Red 68	Portuguese Red 38 **	Brick Red 40 **	Coco Rose 30
							
Pastel Grey 28	Baby Pink 94	Magenta 97 *	Heather Purple 58	Indigo 95 *			

APPLICATION

VASARI PLASTER

The below instructions are an average standard of applying Vasari plaster. Depending on wall condition and type of products, the application methods may vary. It is best to consult our technical personnel prior to application. You are encouraged to practice on a small surface or sample board before you start to apply on your wall.

1. Tools Preparation



The basic tools to have are masking tape, hawk, trowel, scraper, spatula, corner tool, cloth. Make sure your trowel is straight and its edges are polished.

Alat asas yang perlu disediakan adalah pita pelekat, condong, kulir, pengikis, spatula, alat sudut, kain. Pastikan kulir anda lurus dan di bahagian tepinya digilap.

基本需要准备的工具是胶带，托灰板，抹灰刀，刮刀，抹刀，护角工具，布。确保你的抹灰刀边缘是直而光滑的。

2. Wall Preparation



Make sure the wall is clean, free of dust, cracks, flaking, blistering or holes. Tape the sides of the wall with masking tape to make sure edges are clean and straight. The wall must be dry before applying Vasari.

Pastikan dinding bersih, bebas dari sebarang habuk, retak, mengelupas, melepuh atau berlubang. Lekat sisi dinding dengan pita pelekat untuk memastikan di bahagian tepi kemas dan lurus. Dinding mesti kering sebelum menyapu Vasari.

请确保墙壁干净，无灰尘，无裂缝，无剥落，无起泡或洞孔。用胶带粘贴墙面边缘以确保边缘干净整齐。使用产品前，墙面必须保持干透性质。

3. First Layer



Apply first layer with trowel. Exert just enough pressure to apply the product evenly. No specific pattern is required. Allow the first layer to dry.

Sapukan lapisan pertama dengan kulir. Gunakan tekanan sekadar yang mencukupi untuk meletakkannya sehingga sama rata. Tiada corak spesifik diperlukan. Pastikan lapisan pertama kering.

使用抹灰刀涂抹第一层。使用者只需要施加一些压力把产品涂抹均匀。没有特定的模式图案。必须让第一层干透为止。

4. Second Layer



Make sure the first layer is completely dry before applying the second layer. Apply a thin layer with same pattern stroke throughout the wall. Apply with a little more pressure.

Pastikan lapisan pertama kering sebelum menyapu lapisan kedua. Sapukan lapisan nipis dengan gaya corak yang sama di seluruh dinding. Sapukan dengan melebihi sedikit tekanan.

确保第一层完全干透才施加产品在第二层上。应用相同的模式图案兼施加多一点压力将产品涂抹薄薄一层在整个墙面上。

5. Burnishing



Burnish the wall throughout with clean trowel when the second layer is 70% to 80% dry. Make sure the trowel is hold at less than 45 degree to avoid scratches. Remove the tape and let the wall to natural dry.

Licinkan dinding dengan kulir yang bersih semasa lapisan kedua 70% hingga 80% kering. Pastikan kulir dipegang kurang daripada 45 darjah untuk mengelakkan calar. Tanggalkan pita pelekat dan biarkan dinding menjadi kering dengan sendirinya.

当第二层干透70%至80%时，就能使用干净的抹灰刀打磨墙面。确保抹灰刀低于45度以避免划伤墙面。取下胶带，让墙面自然干透。



APPLICATION

VASARI LIME PAINT

The instructions below are an average standard of applying Vasari Lime Paint. Depending on the wall condition and desired outcome, the application methods may vary. It is best to consult our technical personnel prior to application. You are encouraged to practice on a small surface or sample board before you start applying on your wall.

1. Tools Preparation



Vasari Lime Paint can be applied using brush or sponge (or even rolled or sprayed), creating matte finish with minor movement and variation.

Vasari Lime Paint boleh digunakan dengan berus atau span (atau digulung dan disembur), menghasilkan kemasan matte dengan sedikit pergerakan dan variasi.

Vasari 石灰漆可用刷子或海绵涂抹也可使用滚筒或喷涂，呈现哑光效果，并带有轻微的纹理与变化。

2. Mineral Primer



Apply Vasari Mineral Primer in 1-2 coats using roller. Allow primer to dry before Lime Paint application.

Sapukan Vasari Mineral Primer dalam 1–2 lapisan menggunakan penggelek. Biarkan primer kering sebelum aplikasi Lime Paint.

使用滚筒涂抹 1–2 层 Vasari 底漆。待底漆完全干燥后再进行石灰漆施工。

3. First Coat



Using a brush, apply Vasari Lime Paint in random criss-cross strokes to cover the substrates. Allow at least 24 hours for first coat to completely dry.

Dengan menggunakan berus, sapukan Vasari Lime Paint dengan sapuan rawak silang untuk menutup permukaan. Biarkan sekurang-kurangnya 24 jam sehingga lapisan pertama benar-benar kering.

使用刷子，以随机交叉的笔触方式涂抹 Vasari 石灰漆，覆盖整个表面。第一层需至少干燥 24 小时。

4. Second Coat




The second coat can be brushed or applied using sponge. Apply 2nd coat in a random fashion. For a soft, subtle effect, use a brush; for more vivid variations, choose a sponge.

Lapisan kedua boleh disapu menggunakan berus atau span. Sapukan lapisan kedua secara rawak. Gunakan berus untuk menghasilkan pergerakan lembut dan halus. Gunakan span sekiranya anda mahukan variasi yang lebih jelas dan ketara.

第二层可用刷子或海绵涂抹，并以随机方式施工。使用刷子可呈现柔和细腻的纹理效果。若希望有更明显、更丰富的变化，可使用海绵。

5. Buffing



As Lime paint absorbs into the first coat but still damp, use a clean dry cloth, brush or sponge to buff the wall. This will create more sheen, smoothness and bring out the variation of the color. Likewise, it can be left alone to dry completely matte.

Apabila Lime Paint menyerap ke dalam lapisan pertama tetapi masih lembap, gunakan kain kering bersih, berus atau span untuk menggilap dinding. Ini akan menghasilkan lebih kilauan, kelembutan dan menonjolkan variasi warna. Jika dibiarkan sahaja, ia akan kering sepenuhnya dengan kemasan matte.

当石灰漆渗入第一层但仍略微潮湿时，可使用干净的干布、刷子或海绵擦拭抛光。这将使墙面更有光泽、更平滑，并突显颜色的层次变化。若不进行抛光，也可自然干燥，呈现完全哑光效果。





LIVE HEALTHIER & HAPPIER WITH VASARI

Vasari embodies the vision of a home that nurtures both wellness and beauty. Crafted from natural lime, Vasari plasters are eco-friendly and non-toxic — allowing your walls to breathe, purify the air, and balance humidity for a cleaner, healthier living environment. Beyond these natural benefits, Vasari finishes infuse every space with warmth, texture, and timeless elegance, creating interiors that inspire calm and comfort. With Vasari, your home transforms into more than just a living space — it becomes a sanctuary for a healthier, happier life.



VASARI
LIME PLASTER & PAINT



DISTRIBUTED BY:



CAO INDUSTRIES SDN BHD (187571-K)

[VASARI MALAYSIA HQ]

A-07, Emerald Avenue, Jalan PS11,
Prima Selayang, 68100 Selangor, Malaysia.

EMAIL : info@vasarimalaysia.com

 Vasarimalaysia

 Vasari Malaysia

WWW.VASARIMALAYSIA.COM