

Mineral Sealer

Material Safety Data Sheet



Company / Manufacturer:

Vasari Asia Sdn Bhd
A-07, Emerald Avenue, Jalan PS11,
Prima Selayang, 68100 Selangor, Malaysia

Telephone: +6012-727 1962
Email: info@vasarimalaysia.com

I. Product Name

Product Names: Vasari Mineral Sealer

Trade Names: Plaster Sealer, Tadelakt Sealer, Stucco Sealer

Product used for interior wall finishes.

II. Chemical Composition

Vasari Malaysia products as listed above are composed of the following materials:
Mineral oil
Water

III. Hazards Identification

Physical hazards	Not classified
Health Hazards Carcinogenicity Category	Not classified
OSHA defined hazards	Not classified
Hazard statement	May cause cancer by inhalation May cause severe skin irritation May cause blindness

Precautionary statement

Prevention Observe good industrial hygiene standards
Do not handle until all safety precautions have been read and understood. Wear Protective gloves.
Response If exposed or concerned: Wash Hand after handling.
Storage : store locked up.
Disposal : Dispose of in accordance with local, state and federal regulations
Hazard(s) not otherwise classified (HNOC) None known

IV. First Aid Measures for Accidental Exposure:

Eye Exposure:

Rinse with water. Get medical attention if irritation persists.

Skin Exposure:

Wash affected areas with water. If irritation develops, SEEK MEDICAL ATTENTION.

Inhalation:

Move to fresh air. If not breathing, administer artificial respiration. If breathing is difficult, give oxygen.
SEEK MEDICAL ATTENTION.

Ingestion:

If swallowed, dilute with water. SEEK MEDICAL ATTENTION.

Chronic Exposure : Seek medical professional

Aggravation of Pre-existing Conditions : Seek medical professional

V. Fire Fighting Measures

Fire rating for interior application over drywall

Flash Point: Non-combustible solid

Upper/Lower Explosive Limits: N/A

Special Fire Fighting Procedures: None

Explosion : Not considered to be an explosion hazard

VI. Accidental Release Measures**Clean up and Disposal of Spill:**

Contain spilled material in the most convenient and safe manner. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. Wear suitable gloves when cleaning wet products.

VII. Handling and Storage**Handling:**

Some products are in over 60 lbs. 5 gallon containers. Use appropriate care in lifting / handling heavy materials.

Storage:

Keep package tightly closed and at room temperature.

VIII. Exposure Controls / Personal Protection**Exposure Guidelines:**

Due to the encapsulated form of these products, no exposure to the components in the products is anticipated under normal use conditions.

Engineering Controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below OSHA exposure limit(s).

Respiratory Protection:

Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH/MSA approved respirator when necessary.

Eye / Face Protection:

Wear safety glasses with side shields or goggles.

Skin Protection:

Wear latex gloves and protective clothing to minimize skin contact.

IX. Physical and Chemical Properties

Physical Appearance: Clear / White liquid

Odor: Mild odor

pH: 10.1

Specific Gravity: 1.02

Water Solubility: Dilutable in water

Melting Point: ND

Freezing Point 32°F
Boiling Point: 212°F
Vapor Pressure: equal to water
Vapor Density: equal to water
Percent Volatiles by Volume: non volatiles
Viscosity: ND
Flash Point : ND

X. Stability and Reactivity

Chemical Stability:

Stable

Conditions to Avoid:

Protect form freezing and excessive heat

Materials / Chemicals to Be Avoided:

ND

Hazardous Decomposition Products:

ND

Hazardous Polymerization:

ND

XI. Toxicological Information

Carcinogenicity: ND

Acute Eye Irritation:

May cause temporary irritation

Acute Skin Irritation:

May cause temporary irritation

Acute Respiratory Irritation:

No adverse affects

Acute Oral Toxicity:

May cause gastrointestinal irritation if swallowed

Chronic Toxicity:

No adverse affects

Effects of Dust Overexposure: Not detectable

Dermal Exposure: Not absorbed through the skin. No adverse affects

Eye Irritation: May be irritating to the eyes, with burning, itching, or redness.

Carcinogenicity: Tis product is not a carcinogen by IARC, ACGIH, NTP or OSHA

Ingestion: Not considered a likely route of exposure.

PRECAUTIONS FOR SAFE HANDLING AND USE

Special care should be taken to prevent contact with skin. The use of protective gloves are recommended.

Respiratory Protection: Not required

XII. Ecological Information

Ecotoxicological Information: Not-determined

Environmental Fate : This material is not expected to significantly bioaccumulate

Environmental Toxicity : No information found

XIII. Disposal Considerations

Waste Disposal Method:

Dispose of in accordance with federal, state and local regulations. Recycle all plastic pales and lids in appropriate recycling facilities.

XIV. Transportation Information

Not regulated by IATA /DOT

DOT classification : Not a DOT controlled material

Mode of Transport : Freight / Sea / Land / Rail are allowed

HS code : 3401 30 0000

Packing Group : None

UN code : None

Hazard class : None

Packaging Information: Wet liquid : 0.25gal, 1 gal, 2.5gal or 5 gal per pail

Special provisions for Transport : Not applicable

XV. Regulatory Information

XVI. Other Information

Vasari Lime Plaster & Paint provided the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

Vasari Lime Plaster & Paint MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, Vasari Plaster & Paint WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.